


CS110 A

Open series

Matchcode

CS110 **A** **400** **R150**
 Inner height Open series Inner width Bending radius



CS110 A	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS110 A	110	200 – 1000	145	232 – 1032	250, 300, 350, 400, 500, 600, 800, 1000


L Calculation of the chain length

HM Travel distance

X Mounting height

Y Radius length

H Pitch



L = HM / 2 + Y

X = R x 2 + C


Y = R x π

Bending radius	250	300	350	400	500	600	800	1000
H (mm)	180	180	180	180	180	180	180	180
X (mm)	645	745	845	945	1145	1345	1745	2145
Y (mm)	785	942	1099	1256	1570	1884	2512	3140

The closed type product radius is started from R400



Load diagram




CS110 B


Special designed aluminium steel series

Matchcode


CS110 **B** **500** **R400**
 Inner height Special designed series Inner width Bending radius



D_{max} 70 mm



Hole stay inserts with horizontal and vertical slots



Hole stay inserts with individual holes



Available special designed for your cable and hose holes

CS110 B	A	$B_{min} - B_{max}$	C	$D_{min} - D_{max}$	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS110 B	–	200 – 1000	145	232 – 1032	250, 300, 350, 400, 500, 600, 800, 1000






CS110 K


Closed series

Matchcode

CS110 **K** **500** **R400**
 Inner height Closed series Inner width Bending radius






CS110 K	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS110 K	110	200 – 1000	145	232 – 1032	400, 500, 600, 800, 1000





Vertical and horizontal separator


CS110 SP



Horizontal separator application



Plastic vertical separator application




Steel vertical separator application




Steel end bracket assembly dimensions

CS110 M



You will find the 'B' dimension from model table.



Steel end bracket assembly

CS110 M

