



CS180 A

Open series



Matchcode

CS180 **A** **600** **R800**
 Inner height Open series Inner width Bending radius




CS180 A	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS180 A	180	250 – 1500	220	295 – 1545	400, 500, 600, 700, 800, 900, 1100, 1400

- L** Calculation of the chain length
- HM** Travel distance
- X** Mounting height
- Y** Radius length
- H** Pitch




CS180 B


Special designed aluminium steel series



D_{max} 160 mm



Hole stay inserts with horizontal and vertical slots



Hole stay inserts with individual holes



Available special designed for your cable and hose holes

CS180 B	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS180 B	–	250 – 1500	220	295 – 1545	400, 500, 600, 700, 800, 900, 1100, 1400


$$L = HM / 2 + Y$$

$$X = R \times 2 + C$$

$$Y = R \times \pi$$

Bending radius	400	500	600	700	800	900	1100	1400
H (mm)	250	250	250	250	250	250	250	250
X (mm)	1020	1220	1420	1620	1820	2020	2420	3020
Y (mm)	1256	1570	1884	2198	2512	2826	3454	4396

Load diagram



CS180 K

Closed series

Matchcode

CS180

Inner height

K



Closed series

500


Inner width

R400

Bending radius




CS180 K	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS180 K	180	250 – 1500	220	295 – 1545	400, 500, 600, 700, 800, 900, 1100, 1400




Vertical and horizontal separator


CS180 SP



Horizontal separator application




Steel vertical separator application




Steel vertical separator application

Steel end bracket assembly dimensions

CS180 M



You will find the 'B' dimension from model table.



Steel end bracket assembly

CS180 M

