


CS75 A

Open series


Matchcode

CS75 **A** **200** **R150**
 Inner height Open series Inner width Bending radius



CS75 A	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS75 A	75	100 – 800	97	132 – 832	150, 200, 250, 300, 450

- L Calculation of the chain length
- HM Travel distance
- X Mounting height
- Y Radius length
- H Pitch




$L = HM / 2 + Y$

$X = R \times 2 + C$


$Y = R \times \pi$

Bending radius	150	200	250	300	450
H (mm)	125	125	125	125	125
X (mm)	400	500	600	700	1000
Y (mm)	471	628	785	942	1413

The closed type product radius is started from R200



Load diagram



CS75 B

Special designed aluminium steel series

Matchcode

CS75

Inner height

B


Special designed series

200


Inner width

R150


Bending radius



D_{min} 70 mm



Hole stay inserts with horizontal and vertical slots



Hole stay inserts with individual holes



Available special designed for your cable and hose holes

CS75 B	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS75 B	–	100 – 800	97	132 – 832	150, 200, 250, 300, 400





CS75 K

Closed series

Matchcode

CS75 **K** **200** **R150**
 Inner height Closed series Inner width Bending radius







Plastic glides for longer applications

CS75 K	A	B _{min} – B _{max}	C	D _{min} – D _{max}	R
Model	Inner height (mm)	Inner width (mm)	Outer height (mm)	Outer width (mm)	Bending radius
CS75 K	75	100 – 800	97	132 – 832	200, 250, 300, 450





Vertical and horizontal separator

CS75 SP



Horizontal separator application




Plastic vertical separator application

Steel vertical separator application




Steel end bracket assembly dimensions

CS75 M



You will find the 'B' dimension from model table.



Steel end bracket assembly

CS75 M

